

Mosty 3,0 až 51 x 1,25 m



Obecné informace:

Motiv nesmí obsahovat reflexní prvky, dopravní značení ani grafické prvky a tvary zaměnitelné s dopravním značením. Každý most má stejnou výšku 1,25 m, ale různé délky od 3 m až po 51 m.

Informace pro grafika - specifikace podkladů:

Rozměr:	Pro přípravu dat použijte šablonu na straně 3. Prosíme dodržet vypsání specifikace.
Rastry a fotografie:	300 DPI
Texty:	V křivkách
Měřítko:	1:10, jiné měřítko budou vráceny k přepracování
Barevnost:	CMYK
Uložení:	PDF / X-1a s ořezovými značkami a spadem 5 mm po obvodu. Nelze akceptovat vícestránkové PDF, každý motiv musí být uložen samostatně "název klienta_šířka x výška". Příklad: most_300x125.
Pojmenování soub:	
Nátisk:	Bez dodaného nátisku nelze nést záruku za správnou barevnost
Termín dodání:	Nejpozději 10 pracovních dní před datem instalace.
Způsob dodání:	Úschovna, wetranfer atd.. Jako příjemce uveďte svého obchodníka.

Ve zkratce

- tiskové PDF CMYK
- texty v křivkách
- rastry 300 DPI
- ořezové značky
- měřítko 1:10

Parametry vytištěné samolepicí fólie:

Rozměr plakátu:	3,1 až 51,1 x 1,26 m (konkrétní rozměr Vám sdělí Váš obchodník).
Rozměr obrazu:	3,1 až 51,1 x 1,26 m
Viditelná plocha:	3,0 až 51,0 x 1,25 m
Gramáž:	95 um
Typ:	Avery s plně krycím lepidlem a povrchovou matnou laminací. Alternativy nejsou povoleny.
Tisk:	4/0
Doplňující info:	Výřezy dodat na přenosové folii. Instalace při teplotě +10°C a vyšší.

Parametry samolepicí fólie z plotru + podkladové folie:

Rozměr plakátu:	3,1 až 51,1 x 1,26 m (konkrétní rozměr Vám sdělí Váš obchodník).
Rozměr obrazu:	3,1 až 51,1 x 1,26 m
Viditelná plocha:	3,0 až 51,0 x 1,25 m
Typ:	Minimálně 3 letá plotrová folie pro exteriér.
Doplňující info:	Výřezy dodat na přenosové folii. Instalace při teplotě +10°C a vyšší.

Dodání hotových plakátů:

Místo dodání:	BigBoard Praha, a.s. U trati 3203/ 38a, Praha 10, tel: 721 848 975
Termín dodání:	Nejpozději 7 pracovních dní před datem instalace.
Balení:	Nutné řádné zabalení plakátů, aby bylo zabráněno poškození při přepravě.

Bridges 3,0 to 51 x 1,25 m



General information:

The design must not contain reflective elements, traffic signs or graphic elements and shapes mistakable for traffic signs. Each bridge has the same height of 1.25 m but different lengths from 3 m to 51 m. The particular length of the selected bridge will be communicated to you by the merchant.

Information for graphics - specification of data:

Size:	Use the template on page 3 to prepare hi-res data. Please follow the listed specifications.
Rasters:	300 DPI
Texts:	In curves
Scale:	1:10
Color:	CMYK
Save as:	PDF / X-1a with crop marks and 5 mm bleed by the perimeter. Multipage PDFs cannot be accepted, each theme must be saved separately. "client-name x width x height". Example: bridge_300x125.
File naming:	
Proof:	We cannot guarantee the correct coloring without the proof provided.
Time of delivery:	10 working days prior to installation date, at the latest.
Method of delivery:	Úschovna, wetranfer etc.. Name your merchant as the recipient.

In shortcut

- printable PDF CMYK
- text in curves
- rasters 300 DPI
- crop marks
- scale 1:10

Parameters of printed self-adhesive foil:

Poster dimensions:	3,1 až 51,1 x 1,26 m (your dealer will tell you the specific size).
Picture dimensions:	3,1 až 51,1 x 1,26 m
Visible area:	3,0 až 51,0 x 1,25 m
Weight:	95 um
Type:	Avery with full covering adhesive and surface matte lamination. Alternatives are not allowed.
Print:	4/0
Add info:	Cutouts deliver on the clear transfer foil. Installation temp. min. +10°C

Parameters of plotter cutted self-adhesive foil + background foil:

Poster dimensions:	3,1 až 51,1 x 1,26 m (your dealer will tell you the specific size).
Picture dimensions:	3,1 až 51,1 x 1,26 m
Visible area:	3,0 až 51,0 x 1,25 m
Type:	At least 3 years of plotter foil for exterior.
Add info:	Cutouts deliver on the clear transfer foil. Installation temp. min. +10°C

Delivery of printed posters:

Place of delivery:	BigBoard Praha, a.s. U trati 3203/ 38a, Praha 10, tel: 721 848 975
Time of delivery:	7 working days prior to installation date, at the latest.
Packing:	Posters must be packaged to prevent mechanical damage during transport.

Most 3,0 x 1,25 m (a násobky např. 6, 9, 12 m)

Šablona pro data 1:10.

Fialová linie je oblast, za kterou nedávat text, loga a jiná důležitá sdělení.

Rastry a fotografie rozlišení 300 DPI.

Texty a objekty převést do křivek.

Barevnost CMYK. Prosíme pečlivě zkontrolovat, zda-li nezůstaly nějaké objekty/ fotografie v RGB.

Uložit jako CMYK PDF / X-1a s ořezovými značkami a spadem 5 mm po obvodu.

Data pojmenovat "název klienta_šířka x výška". Příklad: most_300x125.

Nelze akceptovat vícestránková PDF, každý motiv musí být uložen samostatně.

Bez dodaného nátisku nelze nést záruku za správnou barevnost.

Bridge 3,0 x 1,25 m (and multiples of eg 6, 9, 12 m)

Template for dates 1:10.

The purple line is an area beyond which text, logos and other important messages should not be given.

Raster and photo resolution 300 DPI.

Texts and objects convert into curves.

CMYK color scheme. Please check carefully for any RGB objects / photos.

Save as CMYK PDF / X-1a with crop marks and 5 mm fallout by the perimeter.

Name the data "client-name x width x height". Example: bridge_300x125.

Multipage PDFs cannot be accepted, each theme must be saved separately.

We cannot guarantee the correct coloring without the proof provided.